

Filling out the Grease Interceptor Maintenance Log

These instructions can be used as a guide for filling out your grease interceptor maintenance log. Log entries should be made each time that a grease interceptor is cleaned out. Tracking cleanouts will help determine how fast the grease interceptor is filling up and how often it should be cleaned.

- Name of the Food Service Establishment (FSE).
- Address of the FSE.



Fats, Oils, and Grease (FOG) Control Program – Grease Interceptor Maintenance Log

Facility Name:	
Address:	

Date	Grease Hauler Company	Depth Measurement (ft.)			Percent Full (A + B) / C	Grease Disposal Location	Service Comments	Grease Hauler Representative (Signature)
		FOG (A)	Solids (B)	Designed Liquid Level (C)				

<small>I certify that this document was prepared under my direction or supervision. The information submitted is, to the best of my knowledge and belief, true, accurate, and complete. All records of maintenance and cleaning shall be retained for 3 years. Failure to provide copies of maintenance and cleaning logs during an inspection by the City of Ames Water and Pollution Control Facility may result in surcharges, fines, or other penalties.</small>			
Name:			
Signature:		Title:	
		Date:	

- Date of Grease Interceptor cleanout.
- Company performing the cleanout.
- Location where grease will be unloaded/disposed.
- Comments from hauling company.
 - Signature of hauling company representative.



Fats, Oils, and Grease (FOG) Control Program – Grease Interceptor Maintenance Log


Facility Name:	
Address:	

Date	Grease Hauler Company	Depth Measurement (ft.)			Percent Full (A + B) / C	Grease Disposal Location	Service Comments	Grease Hauler Representative (Signature)
		FOG (A)	Solids (B)	Designed Liquid Level (C)				

I certify that this document was prepared under my direction or supervision. The information submitted is, to the best of my knowledge and belief, true, accurate and complete. All records of maintenance and cleaning shall be retained for 3 years. Failure to provide copies of maintenance and cleaning logs during an inspection by the City of Ames Water and Pollution Control Facility may result in surcharges, fines, or other penalties.

Name:	Title:
Signature:	Date:

- Depth of the floating Fats, Oils, and Grease in the Grease Interceptor.
 - In this example, it would be 0.5
- Depth of solids that settle to bottom of the Grease Interceptor.
 - In this example, it would be 1.0
- Total Depth of the Grease Interceptor.
 - In this example, it would be 5.0
- Percentage full that the Grease Interceptor is.
 - In this example, it would be $= (0.5 + 1.0) / 5.0$
 $= (1.5) / 5.0$
 $= 0.30 = 30\%$
 - This is above the 25% required by the City of Ames. If percentages above 25% are seen it is recommended that cleanout be performed more frequently.



Example Measurement



Fats, Oils, and Grease (FOG) Control Program – Grease Interceptor Maintenance Log

Facility Name:	
Address:	

Date	Grease Hauler Company	Depth Measurement (ft.)			Percent Full (A + B) / C	Grease Disposal Location	Service Comments	Grease Hauler Representative (Signature)
		FOG (A)	Solids (B)	Designed Liquid Level (C)				

<i>I certify that this document was prepared under my direction or supervision. The information submitted is, to the best of my knowledge and belief, true, accurate, and complete. All records of maintenance and cleaning shall be retained for 3 years. Failure to provide copies of maintenance and cleaning logs during an inspection by the City of Ames Water and Pollution Control Facility may result in surcharges, fines, or other penalties.</i>							
Name:				Title:			
Signature:				Date:			

- Printed name of the Authorized Representative for the FSE.
- Signature of the Authorized Representative.
- Authorized Representative's Title.
- Date the Maintenance Log was signed.